



# TRANS- SPRINT

FAST, ROBUST AND FULL HEIGHT  
THROUGH HORIZONTAL OPENING





## ADVANTAGES AT A GLANCE



Opening speed up to 3.0 m/s



Door size up to 6.0 m x 6.0 m



Resistance to wind load up to class 2



Low dripping requirement



Crash protection



Escape route (optional)



Can be used indoors and outdoors




In the area of transport systems



For food processing plants also available in stainless steel design

## SPECIAL FEATURES




# IMMEDIATELY FULL CLEARANCE


The lateral opening of the gate wings enables the immediate provision of the complete gate height and thus ensures fast and safe traffic of goods. This guarantees a trouble-free and safe traffic flow and prevents long interruption times.

Due to the horizontal opening and closing cut-outs for e.g. pipes and conveyor belts - which pass through the door - are possible. In addition, the door division can be asymmetrical or single-winged.


In the stainless steel version, the Transsprint meets the hygienic requirements of food, chemical and pharmaceutical industries.




Transsprint - Single Wing



Transsprint - Asymmetrical with two separate drives and controls



Transsprint C with Crash protection



Lintel requirement 250 mm

## TECHNICAL DATA

- Opening speed up to 3.0 m/s
- Closing speed up to 1.5 m/s
- Door sizes up to 6.0 m height and 6.0 m width
- DR2100 microprocessor control system with main switch and integrated frequency converter
- 230 V/50Hz, IP66 drive
- Emergency stop switch and 3-fold push button in steel control cabinet
- Lintel height min. 250 mm, depending on the door size and design

## SAFETY

- Access protection due to all-round cladding
- Surveillance light barrier or Safety contact strip in each closing beam
- Drive-through monitoring by means of non-contact light grid (optional)
- Anti-crash function (optional)
- Emergency opening door, can be pushed open manually
- Signal lights and traffic light control (optional)

# OUR FURTHER PRODUCT RANGE

TRANSSPRINT (EN) | 31.01.2023 | TECHNICAL CHANGES RESERVED



**SPIRAL DOORS**



**FOLDING DOORS**



**HORIZONTAL HIGH-SPEED DOORS**



**VERTIKAL HIGH-SPEED DOORS**



**SWING DOORS**



**STRIP CURTAINS**



**MACHINE PROTECTION DOORS**



**SECTIONAL DOORS**



**STEEL / ALUMINUM ROLLER DOORS**

## SCOPE OF APPLICATION



INDUSTRY



TRANSPORT



LOGISTICS



AUTOMOTIVE



M. PROTECTIONS



CLEAN ROOM



SUPERMARKET



FOOD



COOLING AREA



ATEX

[www.abcdors.co.uk](http://www.abcdors.co.uk)

NORTHERN DEPOT & HEAD OFFICE  
 ABC Industrial Doors Limited, Wharfside Business Park,  
 Irlam Wharf Rd, Irlam M44 5PN  
 National Help Desk t: 0808 169 5030  
 e: [info@abcdors.co.uk](mailto:info@abcdors.co.uk)

SOUTHERN DEPOT  
 ABC Industrial Doors Limited, Unit B2 Pierson Court,  
 Knowl Piece, Hitchin, Hertfordshire SG4 0TY  
 National Help Desk t: 0808 169 5030  
 e: [info@abcdors.co.uk](mailto:info@abcdors.co.uk)

**ITW**  
 INDUSTRIETORE